

L Number	Hits	Search Text	DB	Time stamp
-	322	710/4	USPAT;	2003/08/28 15:18
	-		US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1	•	,	IBM_TDB	
-	546	710/20	USPAT;	2003/08/27 18:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	710/33	USPAT;	2003/08/27 18:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	1862	710/52	IBM_TDB USPAT;	2003/08/27 18:26
	1002	110/32	US-PGPUB;	2003/08/27 18:20
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
-	447	710/53	USPAT;	2003/08/27 18:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2715	710/4 or 710/20 or 710/52 or 710/53	USPAT;	2003/08/27 18:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	457	(710/4 710/00 710/50 710/52)	IBM_TDB	0000 (00 (07 10 05
-	457	(710/4 or 710/20 or 710/52 or 710/53) and	USPAT;	2003/08/27 18:35
1	'	(data near3 transfer\$4) with register\$2	US-PGPUB; EPO; JPO;	
			DERWENT;	·
			IBM TDB	
_	3	((710/4 or 710/20 or 710/52 or 710/53) and	USPAT;	2003/08/27 18:31
		(data near3 transfer\$4) with register\$2)	US-PGPUB;	2003,00,2, 10.31
		and medical	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(710/4 or 710/20 or 710/52 or 710/53) and	USPAT;	2003/08/27 18:36
		(efficient with data near3 transfer with	US-PGPUB;	
		storage with register\$2)	EPO; JPO;	
			DERWENT;	
	0	(710/4 am 710/20 am 710/52 am 710/52)	IBM_TDB	2002/02/07 10 11
_	0	(710/4 or 710/20 or 710/52 or 710/53) and (efficient with data near3 transfer with	USPAT;	2003/08/27 18:44
		storage with medical)	US-PGPUB; EPO; JPO;	
		beerage with medical,	DERWENT;	
	,		IBM TDB	
-	12	(710/4 or 710/20 or 710/52 or 710/53) and	USPAT;	2003/08/27 18:37
		(efficient with data near3 transfer with	US-PGPUB;	
		storage)	EPO; JPO;	
		-	DERWENT;	
			IBM_TDB	
-	12	, , - , , - , - , - , - , - , - , - , -	USPAT;	2003/08/27 18:44
		(efficient with data near3 transfer with	US-PGPUB;	
		storage)) not (((710/4 or 710/20 or 710/52	EPO; JPO;	
		or 710/53) and (data near3 transfer\$4)	DERWENT;	
[_	ا ۾	with register\$2) and medical)	IBM_TDB	0000/00/00 55 55
-	0	((710/4 or 710/20 or 710/52 or 710/53) and (efficient with data near3 transfer with	USPAT;	2003/08/27 18:39
1		(efficient with data hear3 transfer with storage)) and medical	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	15271	medical near3 device	USPAT;	2003/08/27 18:44
			US-PGPUB;	
	ĺ		EPO; JPO;	•
,			DEDMENII.	1
			DERWENT; IBM TDB	



-	1	efficient with data near3 transfer with	USPAT;	2003/08/27 18:45
		storage with medical	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	efficient with data near3 transfer with	USPAT;	2003/08/27 18:47
	_	multiple near3 storage	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	0	data near3 transfer with multiple near3	USPAT;	2003/08/27 18:47
		storage with medical	US-PGPUB;	ŀ
			EPO; JPO;	
	Ì		DERWENT;	
			IBM_TDB	
-	0	data near3 transfer with multiple near3	USPAT;	2003/08/27 18:47
		storage same medical	US-PGPUB;	
			EPO; JPO;	Í
		· ·	DERWENT;	
	7.5		IBM_TDB	0000 (00 (07 10 10
1 -	/5	data near3 transfer with storage same	USPAT;	2003/08/27 18:48
		medical	US-PGPUB;	
			EPO; JPO; DERWENT;	
	1		IBM TDB	
_	45929	data near3 (buffer\$4 or queu\$4 or	USPAT;	2003/08/28 15:20
	10020	storag\$4) with transfer\$5	US-PGPUB;	2003,00,20 13.20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	130	(data near3 (buffer\$4 or queu\$4 or	USPAT;	2003/08/28 15:20
		storag\$4) with transfer\$5) same medical	US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
			IBM_TDB	
_	7521	(data near3 (buffer\$4 or queu\$4 or	USPAT;	2003/08/28 15:22
		storag\$4) with transfer\$5) with output	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/00 17 14
-	7	((((USPAT;	2003/08/28 17:11
		storag\$4) with transfer\$5) with output) same medical	US-PGPUB;	
		Same medical	EPO; JPO; DERWENT;	
			· ·	
_	838	(data near3 (buffer\$4 or queu\$4 or	IBM_TDB USPAT;	2003/08/28 15:23
İ		storag\$4) with transfer\$5) same efficient	US-PGPUB;	2003/00/20 13:23
1	1		EPO; JPO;	
1	1		DERWENT;	
1			IBM TDB	
-	31	(data near3 (buffer\$4 or queu\$4 or	USPAT;	2003/08/28 15:24
	}	storag\$4) with transfer\$5) with multiple	US-PGPUB;	
		same efficient	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	33	1	USPAT;	2003/08/28 17:12
		transfer with (memor\$5 or queue\$2 or	US-PGPUB;	
		buffer\$2) same efficient	EPO; JPO;	
	<u> </u>		DERWENT;	
			IBM_TDB	0000/00/00
-	27		USPAT;	2003/08/29 16:39
		near3 register\$2) with (queue or buffer or	US-PGPUB;	
		memory)	EPO; JPO;	
			DERWENT; IBM TDB	
_	5	stor\$4 with transfer\$5 with (multiple	USPAT;	2003/08/29 16:41
		near3 register\$2) with output with (queue	US-PGPUB;	2000/00/27 10.41
		or buffer or memory)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
L		I		L

	20242	data near3 transfer with storage	USPAT;	2003/08/29 16:42
_	20242	data hears transfer with storage	US-PGPUB;	2003/08/29 16:42
			EPO; JPO;	1
				1
			DERWENT;	1
	1.0	/data	IBM_TDB	0000/00/00 16 50
_	16	, (USPAT;	2003/08/29 16:53
		(multiple or two or dual) near5 input with	US-PGPUB;	
		output with (queu\$2 or memor\$4 or	EPO; JPO;	
		buffer\$4)	DERWENT;	
			IBM_TDB	
_	733	tone p to addm/ todals link as waste	USPAT;	2003/08/29 16:56
		register\$2 with output with (queu\$2 or	US-PGPUB;	
		memor\$4 or buffer\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	((multiple or two or dual) near5 input	USPAT;	2003/08/29 17:00
		with register\$2 with output with (queu\$2	US-PGPUB;	
		or memor\$4 or buffer\$4)) same data near3	EPO; JPO;	
		transfer\$4 with storag\$5	DERWENT;	
		·	IBM TDB	
-	47	(data near3 transfer with storage) and	USPAT;	2003/08/29 17:00
		((multiple or two or dual) near5 input	US-PGPUB;	
	1	with register\$2 with output with (queu\$2	EPO; JPO;	
		or memor\$4 or buffer\$4))	DERWENT;	
			IBM TDB	
_	5	(data near3 transfer with storage) same	USPAT;	2003/08/29 17:00
		((multiple or two or dual) near5 input	US-PGPUB;	
		with register\$2 with output with (queu\$2	EPO; JPO;	
		or memor\$4 or buffer\$4))	DERWENT:	
			IBM TDB	
_	42	((data near3 transfer with storage) and	USPAT:	2003/08/29 17:01
		((multiple or two or dual) near5 input	US-PGPUB;	2003/00/23 17:01
		with register\$2 with output with (queu\$2	EPO; JPO;	
		or memor\$4 or buffer\$4))) not ((data near3	DERWENT;	
		transfer with storage) same ((multiple or	IBM TDB	
		two or dual) near5 input with register\$2	101,-100	
		with output with (queu\$2 or memor\$4 or		
		buffer\$4)))		
		DULTELAAII		